

**Product Name**

**Description**

**Vendor**

**NCDOT Work Zone Traffic Control Unit  
Approved Product List**

**Barricades**

**Filtrona Extrusion, Inc.- Davidson TCP**

3110 70th Avenue East  
Tacoma WA 98424

**Rep:** Peter Speer Vice-President Sales  
**Phone#'s** (253) 284-8000 (800) 822-7528  
**Fax#** (253) 284-8080

8T3B Type III Barricade (4 to 8 ft)

**File Comments**

- Model #8T3B0451\*- 48" Corrugated Plastic Rails
- Model #8T3B0651\*- 72" Corrugated Plastic Rails
- Model #8T3B0851\*- 96" Corrugated Plastic Rails

(The \* asterisk denotes two characters which are used to differentiate on orders between two-way reflective left or right slant, and Chevron or standard tape application.)

**Korman Signs, Inc.**

3029 Lincoln Avenue  
Richmond VA 23228-4295

**Rep:** John Murray V.P. Sales  
**Phone#'s** (804) 262-6050 (800) 296-6050  
**Fax#** (804) 261-1040

KSIWBT3-BR Type III Barricade (4 to 12 ft)

**File Comments**

Type III Barricade with Bracket Mounts

- Model #KSIWBT3-BR4X5PDLRH- 48" Plastic Rails
- Model #KSIWBT3-BR6X5PDLRH- 72" Plastic Rails
- Model #KSIWBT3-BR8X5PDLRH- 96" Plastic Rails
- Model #KSIWBT3-BR10X5PDLRH- 120" Plastic Rails
- Model #KSIWBT3-BR12X5PDLRH- 144" Plastic Rails

- Model #KSIWBT3-BR4X5ADLRH- 48" Alpolic Rails
- Model #KSIWBT3-BR6X5ADLRH- 72" Alpolic Rails
- Model #KSIWBT3-BR8X5ADLRH- 96" Alpolic Rails
- Model #KSIWBT3-BR10XAPDLRH- 120" Alpolic Rails
- Model #KSIWBT3-BR12XAPDLRH- 144" Alpolic Rails

Replaced Model# KSIBTIII-133Z

KSIWBT3-EST Type III Barricade (4 to 12 ft)

**File Comments**

Type III Barricade with External Stub Tee Connectors

- Model #KSIWBT3-EST4X5PDLRH- 48" Plastic Rails
- Model #KSIWBT3-EST6X5PDLRH- 72" Plastic Rails
- Model #KSIWBT3-EST8X5PDLRH- 96" Plastic Rails
- Model #KSIWBT3-EST10X5PDLRH- 120" Plastic Rails
- Model #KSIWBT3-EST12X5PDLRH- 144" Plastic Rails

- Model #KSIWBT3-EST4X5ADLRH- 48" Alpolic Rails
- Model #KSIWBT3-EST6X5ADLRH- 72" Alpolic Rails
- Model #KSIWBT3-EST8X5ADLRH- 96" Alpolic Rails
- Model #KSIWBT3-EST10XAPDLRH- 120" Alpolic Rails
- Model #KSIWBT3-EST12XAPDLRH- 144" Alpolic Rails

Product Name	Description	Vendor
--------------	-------------	--------

KSIWBT3-HP	Type III Barricade (4 to 12 ft)	
------------	---------------------------------	--

[File Comments](#)

Type III Barricade with Hinge Plate Bracket Mounts

Model #KSIWBT3-HP4X5PDLRH- 48" Plastic Rails  
Model #KSIWBT3-HP6X5PDLRH- 72" Plastic Rails  
Model #KSIWBT3-HP8X5PDLRH- 96" Plastic Rails  
Model #KSIWBT3-HP10X5PDLRH- 120" Plastic Rails  
Model #KSIWBT3-HP12X5PDLRH- 144" Plastic Rails

Model #KSIWBT3-HP4X5ADLRH- 48" Alpolic Rails  
Model #KSIWBT3-HP6X5ADLRH- 72" Alpolic Rails  
Model #KSIWBT3-HP8X5ADLRH- 96" Alpolic Rails  
Model #KSIWBT3-HP10XAPDLRH- 120" Alpolic Rails  
Model #KSIWBT3-HP12XAPDLRH- 144" Alpolic Rails

KSIWBT3-HT	Type III Barricade (4 to 12 ft)	
------------	---------------------------------	--

[File Comments](#)

Type III Barricade with Hinge Tee Connectors

Model #KSIWBT3-HT4X5PDLRH- 48" Plastic Rails  
Model #KSIWBT3-HT6X5PDLRH- 72" Plastic Rails  
Model #KSIWBT3-HT8X5PDLRH- 96" Plastic Rails  
Model #KSIWBT3-HT10X5PDLRH- 120" Plastic Rails  
Model #KSIWBT3-HT12X5PDLRH- 144" Plastic Rails

Model #KSIWBT3-HT4X5ADLRH- 48" Alpolic Rails  
Model #KSIWBT3-HT6X5ADLRH- 72" Alpolic Rails  
Model #KSIWBT3-HT8X5ADLRH- 96" Alpolic Rails  
Model #KSIWBT3-HT10XAPDLRH- 120" Alpolic Rails  
Model #KSIWBT3-HT12XAPDLRH- 144" Alpolic Rails

KSIWBT3-IST	Type III Barricade (4 to 12ft)	
-------------	--------------------------------	--

[File Comments](#)

Type III Barricade with Internal Stub Tee Connectors

Model #KSIWBT3-IST4X5PDLRH- 48" Plastic Rails  
Model #KSIWBT3-IST6X5PDLRH- 72" Plastic Rails  
Model #KSIWBT3-IST8X5PDLRH- 96" Plastic Rails  
Model #KSIWBT3-IST10X5PDLRH- 120" Plastic Rails  
Model #KSIWBT3-IST12X5PDLRH- 144" Plastic Rails

Model #KSIWBT3-IST4X5ADLRH- 48" Alpolic Rails  
Model #KSIWBT3-IST6X5ADLRH- 72" Alpolic Rails  
Model #KSIWBT3-IST8X5ADLRH- 96" Alpolic Rails  
Model #KSIWBT3-IST10XAPDLRH- 120" Alpolic Rails  
Model #KSIWBT3-IST12XAPDLRH- 144" Alpolic Rails

KSIWBT3-SW	Type III Barricade (4 to 12 ft)	
------------	---------------------------------	--

[File Comments](#)

Type III Barricade with Stub Weld Receiver

Model #KSIWBT3-SW4X5PDLRH- 48" Plastic Rails  
Model #KSIWBT3-SW6X5PDLRH- 72" Plastic Rails  
Model #KSIWBT3-SW8X5PDLRH- 96" Plastic Rails  
Model #KSIWBT3-SW10X5PDLRH- 120" Plastic Rails  
Model #KSIWBT3-SW12X5PDLRH- 144" Plastic Rails

Model #KSIWBT3-SW4X5ADLRH- 48" Alpolic Rails  
Model #KSIWBT3-SW6X5ADLRH- 72" Alpolic Rails  
Model #KSIWBT3-SW8X5ADLRH- 96" Alpolic Rails  
Model #KSIWBT3-SW10XAPDLRH- 120" Alpolic Rails  
Model #KSIWBT3-SW12XAPDLRH- 144" Alpolic Rails

Replaces Model #KSIBT111-SW

**Product Name****Description****Vendor****Matlack Sales & Marketing, Inc.**

P.O. Box 58122  
 Fayetteville NC 28305

**Rep:** Robert Matlack  
**Phone#'s** (910) 868-8723  
**Fax#** (910) 868-4869

8UM-BART/H8 Type III Barricade Kit (4 to 8 ft)

[File Comments](#)

**Barrier****Barrier Systems, Inc.**

44 Cooper Run Drive  
 Cherry Hill NJ 08003

**Rep:** Art Korfin Regional Manager  
**Phone#'s** (856) 424-8186 (775) 720-4864 Cell  
**Fax#** (856) 751-8296

Quickchange Moveable Median Concrete Barrier

[File Comments](#)

NCHRP 350 TL-3 approved [B-63]

**Easi-Set Industries**

5119 Catlett Road, Suite 200, P.O. Box  
 Midland VA 22728

**Rep:** John G. Dallain Vice President  
**Phone#'s** (540) 439-8911 (800) 547-4045  
**Fax#** (540) 439-1232

JJ Hooks Median Barrier Connection System

[File Comments](#)

NCHRP 350 TL-3 approved [B-52]

**Energy Absortion Systems, Inc.**

4205 Winding Oak Way  
 Apex NC 27539

**Rep:** Brad Lee Regional Manager  
**Phone#'s** (919) 290-2545 (804) 241-2258  
**Fax#** (919) 290-2544

Triton Barrier Water-filled Plastic Barrier

[File Comments](#)

NCHRP 350 TL-2 approved [B-21 11/27/92]. FHWA recommended use of Triton Barriers under any of the following conditions: 1) In WZ w/ speeds of 45 MPH or less, 2) In WZ where Triton Barrier is used instead of cones or 3) In WZ of short duration (Ltr dated 9/27/94).

**Impact Recovery Systems, Inc.**

P.O. Box 12637, 246 West Josephine St.  
 San Antonio TX 78212

**Rep:** Sue Reiss Regional Manager  
**Phone#'s** (210) 385-0029  
**Fax#** (305) 946-0213

Tuff Curb Traffic Separator Curb System

[File Comments](#)

**Product Name**

**Description**

**Vendor**

## Changeable Message Signs

### American Signal Co.

2755 Bankers Industrial Drive  
Atlanta GA 30360

**Rep:** Vandy Vanderford National Sales Manager  
**Phone#'s** (770) 448-6650  
**Fax#** (770) 448-8970

CMS-T331 PCMS

**File Comments**

Product performance can be found in the 2004 NTPEP 7002.1 Report.

### Solar Technology, Inc

7620 Cetronia Road  
Allentown PA 18106

**Rep:** Bill Wellman  
**Phone#'s** (610) 391-8600 (800) 475-5442  
**Fax#** (610) 391-8601

Silent Messenger Full Matrix PCMS

**File Comments**

Model #'s: MB-2248 (225 Watt), MB-3048 (300 Watt),  
MB-3748 (375 Watt), MB-4048 (450 Watt)

Product performance can be found in the 2004 NTPEP 7002.1 Report and 2006 NTPEP 7004.1 Report.

Silent Messenger MB-1548 Full Matrix PCMS

**File Comments**

Silent Messenger economy version. Solar array output 150 watts standard, 225 watt and 300 watt arrays are optional.  
Product performance can be found in the 2006 NTPEP 7004.1 Report.

### Ver-Mac, Inc.

123 Whitaker Road  
Saxonburg PA 16056

**Rep:** Dave McMaster  
**Phone#'s** (724) 352-1555 (412) 480-3822  
**Fax#**

PCMS-1210 PCMS

**File Comments**

Product performance can be found in the 2004 NTPEP 7002.1 Report.

### Wanco, Inc.

5870 Tennyson St.  
Arvada CO 80003-6903

**Rep:** Jeffrey Hoch VP Operations  
**Phone#'s** (410) 244-0771 (303) 427-5700  
**Fax#** (303) 427-5725

Message Director WTLMB-S-LL(A)04 Three-Line Character Matrix PCMS

**File Comments**

Product performance can be found in the 2004 NTPEP 7002.1 Report.

Message Director WTMMB-S-LL(A)04 Full Matrix PCMS

**File Comments**

Product performance can be found in the 2004 NTPEP 7002.1 Report.

**Product Name**

**Description**

**Vendor**

**Cones**

**Allsafe Service & Materials**

10112 Richland Avenue  
Garfield Heights OH 44125

**Rep:** Chris Giordano Regional Sales Manager  
**Phone#'s** (216) 640-2368 (800) 428-8185  
**Fax#** (216) 640-2369

W Series Cone PVC Traffic Cones

**File Comments**  
Cones 28 in. and 7 lbs. – 3004181, 3004182 (with standard collar), 3004183 (with 3M collar)  
Cones 28 in. and 10 lbs. – 3004175, 3004257 (with standard collar), 3004259 (with 3M collar)  
Cones 36 in. and 10 lbs. – 3004160, 3004270 (with standard collar), 3004272 (with 3M collar)  
Cones 36 in. and 12 lbs. – 3004278, 3004279 (with standard collar), 3004280 (with 3M collar)

**JBC Safety Plastic Inc.**

1081 Dougherty Lake Estates Drive  
St. Louis MO 63122

**Rep:** Gerry Applebaum National Sales Manager  
**Phone#'s** (866) 966-2663  
**Fax#** (314) 733-0821

Traffic Cones PVC Traffic Cones

**File Comments**  
Revolution Series- Models #'s: RS70045CT (28" w/ collar), RS90045CT (36" w/collar)

**Work Area Protection Corp.**

P.O. Box 87, 2500 Production Dr.  
St. Charles IL 60174

**Rep:** Steve Vann Southeast Reg Sales Manager  
**Phone#'s** (630) 377-9100 (770) 527-7460  
**Fax#** (630) 377-9270

Traffic Cones PVC Traffic Cones

**File Comments**  
Models #'s: 28PVCS, 28PVCH, 28PVCX, 28PVCTLH, 36PVCS, 36PVCH

**Crash Cushion**

**Barrier Systems, Inc.**

44 Cooper Run Drive  
Cherry Hill NJ 08003

**Rep:** Art Korfin Regional Manager  
**Phone#'s** (856) 424-8186 (775) 720-4864 Cell  
**Fax#** (856) 751-8296

TAU-II TL-3 Permanent Crash Cushion

**File Comments**  
Non-gating redirective crash cushion. Suited for protection of narrow objects. TL-2 uses 4-bays, TL-3 uses 8-bays.

**Energy Absortion Systems, Inc.**

4205 Winding Oak Way  
Apex NC 27539

**Rep:** Brad Lee Regional Manager  
**Phone#'s** (919) 290-2545 (804) 241-2258  
**Fax#** (919) 290-2544

Great CZ Temporary Crash Cushion

**File Comments**  
NCHRP 230 tested.

N-E-A-T TL-2 Temporary Crash Cushion

**File Comments**  
Non-redirective, energy-absorbing crash cushion suitable only in temporary situations (48 hrs) to protect portable concrete barrier. NCHRP 350 TL-2 approved [CC-25].

<b>Product Name</b>	<b>Description</b>	<b>Vendor</b>
---------------------	--------------------	---------------

<p>QuadGuard  <a href="#">File Comments</a>            Non-gating redirective crash cushion for locations where reverse directional hits are unlikely. NCHRP 350 TL-3 approved [CC-35].</p>	<p>TL-3 Permanent Crash Cushion</p>	
-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	-------------------------------------	--

<p>QuadGuard CZ  <a href="#">File Comments</a>            Non-gating redirective crash cushion for work zone applications. NCHRP 350 TL-3 approved [CC-35A].</p>	<p>TL-3 Temporary Crash Cushion</p>	
--------------------------------------------------------------------------------------------------------------------------------------------------------------------------	-------------------------------------	--

<p>QuadGuard HS  <a href="#">File Comments</a>            High speed non-gating redirective crash cushion. NCHRP 350 TL-3 Tested/Approved crash cushion up to 70 mph.</p> <p>Can also be used as temporary in work zone especially in high speed situations.</p>	<p>TL-3 Permanent Crash Cushion</p>	
--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	-------------------------------------	--

<p>QuadGuard-LMC  <a href="#">File Comments</a>            Non-gating redirective crash cushion. Low Maintenance Cartridge (LMC). NCHRP 350 TL-3 approved [CC-43 12/01/97].</p>	<p>TL-3 Permanent Crash Cushion</p>	
-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	-------------------------------------	--

<p>React 350-60"  <a href="#">File Comments</a>            Non-gating redirective crash cushion. Primarily comprised of High Density Polyethylene Cylinders, NCHRP 350 TL-3 Tested/Approved. Intended as replacement for original Wide REACT.</p> <p>Suitable as both permanent and temporary crash cushions.</p>	<p>TL-3 Permanent Crash Cushion</p>	
---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	-------------------------------------	--

**SCI Products Inc.**

635 Lucknow Road  
 Harrisburg PA 17110

**Rep:**  
**Phone#'s** (717) 234-3106  
**Fax#** (717) 234-3106

<p>SCI100GM  <a href="#">File Comments</a>            Non-gating redirective crash cushion. NCHRP 350 TL-3 approved per letter CC-85.</p>	<p>TL-3 Temporary Crash Cushion</p>	
---------------------------------------------------------------------------------------------------------------------------------------------------	-------------------------------------	--

**Trinity Industries, Inc.**

600 Prosperity Drive  
 Orangesburg SC 29115

**Rep:** Bob Pacific Regional Sales Manager  
**Phone#'s** (803) 531-7145 (800) 835-9307  
**Fax#**

<p>ET-PLUS™ W/SYTP™  <a href="#">File Comments</a></p>	<p>Guardrail End Treatment</p>	
------------------------------------------------------------	--------------------------------	--

<p>TRACC  <a href="#">File Comments</a></p>	<p>TL-3 Permanent/Temporary Crash Cushion</p>	
-------------------------------------------------	-----------------------------------------------	--

<p>WIDETRACC  <a href="#">File Comments</a>            Designed for widths greater than 24"</p>	<p>TL-3 Permanent Crash Cushion</p>	
---------------------------------------------------------------------------------------------------------	-------------------------------------	--

**Product Name**

**Description**

**Vendor**

## Drums

### Eastern Molding International, LLC

P.O. Box 311  
Batavia NY 14020

Highway Tech  
[File Comments](#)

Channelizer Drum

**Rep:** Chad LaCivita Vice President of Operations  
**Phone#'s** (585) 344-0220  
**Fax#** (585) 344-2513

### Plastic Safety Systems, Inc.

2444 Baldwin Rd  
Cleveland OH 44104

Lifeguard Channelizer  
[File Comments](#)

Channelizer Drum

Ballast method- Tire Collar Ring only.

**Rep:** Bill Jamieson Product Manager  
**Phone#'s** (216) 231-8590 (800) 662-6338  
**Fax#** (216) 231-2702

### Plasticade Products

7700 N. Austin Ave.  
Skokie IL 60077

Rhino Channelizer Drums  
[File Comments](#)

Channelizer Drum

**Rep:** Tom Deptola Eastern Regional Sales Manager  
**Phone#'s** (724) 388-7613 (800) 323-4250  
**Fax#** (724) 479-2585

### Traffix Devices, Inc.

220 Calle Pintoresco  
San Clemente CA 92672

Model #18000  
[File Comments](#)

Channelizer Drum

Sani-Fil Generation V  
[File Comments](#)

Channelizer Drum

**Rep:** David Evans SE Regional Sales Manager  
**Phone#'s** (770) 794-7338 (770) 778-8281  
**Fax#** (770) 794-7338

### Work Area Protection Corp.

P.O. Box 87, 2500 Production Dr.  
St. Charles IL 60174

B-200 Safety Drum  
[File Comments](#)

Channelizer Drum

B-400 Channelizer Drum  
[File Comments](#)

**Rep:** Steve Vann Southeast Reg Sales Manager  
**Phone#'s** (630) 377-9100 (770) 527-7460  
**Fax#** (630) 377-9270

**Product Name**

**Description**

**Vendor**

## Flashing Arrow Panels

### Solar Technology, Inc

7620 Cetronia Road  
Allentown PA 18106

**Rep:** Bill Wellman  
**Phone#'s** (610) 391-8600 (800) 475-5442  
**Fax#** (610) 391-8601

Silent Sentinel 15 Lamp FAP

[File Comments](#)

Model #'s: AB-0515 (50 Watt), AB-0715 (75 Watt), AB-1015 (100 Watt)  
Product performance can be found in the 2004 NTPEP 7002.1 Report.

### Wanco, Inc.

5870 Tennyson St.  
Arvada CO 80003-6903

**Rep:** Jeffrey Hoch VP Operations  
**Phone#'s** (410) 244-0771 (303) 427-5700  
**Fax#** (303) 427-5725

Traffic Director 15 Lamp FAP

[File Comments](#)

Model #'s: WTSP55-LSA (50/55 Watt), WTSP75-LSA (70/80 Watt),  
WTSP110-LSA (100/110 Watt), WTSP150-LSA (150/165 Watt)

Product performance of the 25 lamp version can be found in the 2004 NTPEP 7002.1 Report.

## Glare Screen

### Carsonite International

605 Bob Gifford Blvd  
Early Branch SC 29916

**Rep:** Bill Ward Product Manager  
**Phone#'s** (800) 648-7916  
**Fax#** (803) 753-9081

Modular Guidance System Glare Screen

[File Comments](#)

### Safe-Hit

35 East Wacker Drive, Suite 1100  
Chicago Illin 60601

**Rep:**  
**Phone#'s** (312) 467-6750 (800) 537-8958  
**Fax#** (312) 467-1356

Safe-Hit Glare Screen System Glare Screen

[File Comments](#)

**Product Name**                      **Description**                      **Vendor**

## Miscellaneous

### Synergy Technology

P.O. Box 1939  
Albemarle                      NC    28002

**Rep:**                      Graham Huneycutt  
**Phone#'s**                      (980) 622-7059  
**Fax#**

AF-100                      AFAD

**File Comments**

"Conditional Approval" was given until NCDOT finalizes specification.

## Reflective Sheeting

### 3M

105 Crafton Park Ln  
Cary                      NC    27519

**Rep:**                      Tim Inglis                      State Government Rep  
**Phone#'s**                      (919) 225-3122                      (800) 673-6594  
**Fax#**                      (919) 362-3831

Series 3840                      High Intensity Cone Sheeting

**File Comments**

"Approved for Use" is for Cones only.

Series 3910/3914                      Diamond Grade Flexible Mini-Drum Sheeting

**File Comments**

"Approved for Use" is for Mini-Drums only. Last full evaluation in NTPEP Report 02/228.

3910- White Sheeting

3914- Fluorescent Orange Sheeting

Series 3924                      Fluorescent Orange Rigid Sign Sheeting (Type 7 & 8)

**File Comments**

For Rigid Signs only. Fluorescent Orange Sheeting. Last full evaluation in NTPEP Report 02/228.

Series CW80/CW84                      Engineering Grade Drum Sheeting

**File Comments**

"Approved for Use" is for Drums only.

CW80- White Sheeting

CW84- Orange Sheeting

Series DG6                      Diamond Grade Barricade Sheeting

**File Comments**

"Approved for Use" is for Barricades only. Pre-striped for use on work zone traffic control barricades. Last full evaluation in NTPEP Report 02/228.

DG6-OWL (Orange and White Left)- Placed on left side of road to direct traffic to the right.

DG6-OWR (Orange and White Right)- Placed on right side of road to direct traffic to the left.

### Avery Dennison, Reflective Films Div.

6565 West Howard  
Niles                      IL    60714

**Rep:**                      (770) 924-6441                      (800) 327-5917  
**Phone#'s**                      (678) 445-7137  
**Fax#**

W-7514                      Fluorescent Orange Rigid Sign Sheeting (Type 8)

**File Comments**

For Rigid Signs only. Fluorescent Orange Sheeting.

**Product Name****Description****Vendor****Nippon Carbide Industries (USA), Inc.**

3740 North Josey, Suite 210E  
 Carrollton TX 75007

**Rep:** Charlie Bond Director of Sales  
**Phone#'s** (972) 394-3800 (800) 395-2528  
**Fax#** (972) 394-3801

ASTM Type I/ 8100 Series Engineer Grade Sheeting (Drum Sheeting)

[File Comments](#)

"Approved for Use" is for Drums only.

**Reflexite Corp.**

315 South St.  
 New Britain CT 06051-3719

**Rep:** Tom Flaherty  
**Phone#'s** (860) 223-9297 (800) 654-7570  
**Fax#** (860) 832-9267

AR1000 Type V Abrasion-Resistant Sheeting

[File Comments](#)

Typical for use on flexible delineator posts, barrier-mounted delineators, and guardrail delineators.

**Signs****3M**

105 Crafton Park Ln  
 Cary NC 27519

**Rep:** Tim Inglis State Government Rep  
**Phone#'s** (919) 225-3122 (800) 673-6594  
**Fax#** (919) 362-3831

Series RS24 Fluorescent Orange Roll-up Sign Material

[File Comments](#)

Product has three year warranty.

**Alcan Composites**

208 W 5th Street  
 Benton KY 42025

**Rep:** Kellie Fish Technical Services Engineer  
**Phone#'s** (270) 527-4200  
**Fax#** (270) 527-1552

Dibond 2mm Composite Sign Substrate

[File Comments](#)

Accepted as comparable to other sign substrates (Apolic & etc.)

**Allied Tube & Conduit**

16100 S. Lathrop Avenue  
 Harvey IL 60426

**Rep:**  
**Phone#'s**  
**Fax#**

PSST System Stationary Work Zone Sign Support

[File Comments](#)

**Baga-Sign**

5401 Labrador Dr  
 Hope Mills NC 28348-9247

**Rep:** Darryl Bowen Owner  
**Phone#'s** (910) 485-0789  
**Fax#**

Sign Cover Sign Cover

[File Comments](#)

Approved to cover workzone signs for a length of time not to exceed 6 months. Not recommended for use to cover any type of state owned permanent guide sign.

**Product Name****Description****Vendor****Eastern Metal/USA Sign**

1430 Sullivan Street  
 Elmira NY 14901-1698

**Rep:** Tim Hazell Regional Sales Manager  
**Phone#'s** (800) 872-7446 (770) 492-8604  
**Fax#** (770) 492-8602

Interstate X-Stand Median Barrier Sign Stand

[File Comments](#)

**Korman Signs, Inc.**

3029 Lincoln Avenue  
 Richmond VA 23228-4295

**Rep:** John Murray V.P. Sales  
**Phone#'s** (804) 262-6050 (800) 296-6050  
**Fax#** (804) 261-1040

ALPOLIC 350 2mm Composite Sign Substrate

[File Comments](#)

Sign Stand & Sign Portable Sign Stand System

[File Comments](#)

Model #'s: SS560, SS560A, SS560UCA, SS548, SS548A, SS548CA,  
 SS548UCR, SS548UC, SS548C, SS548UCRA, SS548UCA,  
 SS548E, SS548AE, SS548EE, SS548AEE

**Reflexite Corp.**

315 South St.  
 New Britain CT 06051-3719

**Rep:** Tom Flaherty  
**Phone#'s** (860) 223-9297 (800) 654-7570  
**Fax#** (860) 832-9267

Marathon Fluorescent Orange Roll-up Sign Material

[File Comments](#)

**Traffix Devices, Inc.** **Rep:** David Evans SE Regional Sales Manager

220 Calle Pintoresco  
 San Clemente CA 92672

**Phone#'s** (770) 794-7338 (770) 778-8281  
**Fax#** (770) 794-7338

Sign Stand & Sign Portable Sign Stand System

[File Comments](#)

Little Buster- Rollup signs on 1ft, 2 ft, 5 ft sign stands  
 Little Buster- Alpolic (Composite) signs on 1.25 ft sign stand  
 Econo Buster- Alpolic (Composite) signs on 1.25 ft sign stand  
 Big Buster- Rollup and Alpolic (Composite) signs on 5 ft sign stand  
 Traffix- Rollup signs on 1ft and 1.5 ft sign stands

**Skinny Drums****Eastern Molding International, LLC**

P.O. Box 311  
 Batavia NY 14020

**Rep:** Chad LaCivita Vice President of Operations  
**Phone#'s** (585) 344-0220  
**Fax#** (585) 344-2513

Trimline Channelizer Skinny-Drum

[File Comments](#)

**Plastic Safety Systems, Inc.**

2444 Baldwin Rd  
 Cleveland OH 44104

**Rep:** Bill Jamieson Product Manager  
**Phone#'s** (216) 231-8590 (800) 662-6338  
**Fax#** (216) 231-2702

42" Navigator Channelizer Skinny-Drum

[File Comments](#)

**Product Name****Description****Vendor****Protection Services, Inc.**

1124 Roberts Lane, Suite 107  
High Point NC 27260

**Rep:** Chris Hughs Branch Manager  
**Phone#'s** (336) 889-7283  
**Fax#** (336) 889-7844

42" Channelizer Channelizer Skinny-Drum  
[File Comments](#)

**Traffix Devices, Inc.**

220 Calle Pinteroesco  
San Clemente CA 92672

**Rep:** David Evans SE Regional Sales Manager  
**Phone#'s** (770) 794-7338 (770) 778-8281  
**Fax#** (770) 794-7338

Looper Cone Channelizer Skinny-Drum  
[File Comments](#)

**Truck Mounted Impact Attenuator****Energy Absortion Systems, Inc.**

4205 Winding Oak Way  
Apex NC 27539

**Rep:** Brad Lee Regional Manager  
**Phone#'s** (919) 290-2545 (804) 241-2258  
**Fax#** (919) 290-2544

Alpha 100k TMA TL- 3 TMIA  
[File Comments](#)  
NCHRP 350 TL-3 approved [CC-39 (4/24/97)].

Alpha 70K TMA TL-2 TMIA  
[File Comments](#)  
NCHRP TL-2 approved [CC-32 (3/19/96)].

Safe-Stop 180 TMA TL- 3 TMIA  
[File Comments](#)  
Meets optional NCHRP 350 TL-3 52 & 53 testing.

Safe-Stop 90 TMA TL- 3 TMIA  
[File Comment](#)

**Renco Supply, Inc**

P. O. Box 730  
Pflugerville TX 78691

**Rep:**  
**Phone#'s** (512) 251-2421 (800) 654-8182  
**Fax#** (512) 251-5411

REN-GUARD TL- 2 TMIA  
[File Comments](#)

**Traffix Devices, Inc.**

220 Calle Pinteroesco  
San Clemente CA 92672

**Rep:** David Evans SE Regional Sales Manager  
**Phone#'s** (770) 794-7338 (770) 778-8281  
**Fax#** (770) 794-7338

Scorpion TL-3 TMIA  
[File Comments](#)  
Meets optional NCHRP 350 TL-3 52 & 53 testing.

**Trinity Industries, Inc.**

600 Prosperity Drive  
Orangesburg SC 29115

**Rep:** Bob Pacific Regional Sales Manager  
**Phone#'s** (803) 531-7145 (800) 835-9307  
**Fax#**

MPS-350 TL-3 TMIA  
[File Comments](#)